



**Exhibit 3.**

**Doxycycline EUA Fact Sheet for Recipients—  
Home Preparation Instructions for Children or Adults Who Cannot Swallow Pills**



## Doxycycline EUA Fact Sheet for Recipients— Home Preparation Instructions for Children or Adults Who Cannot Swallow Pills

1. Put 1 doxycycline pill (100 mg) in a small bowl.
2. Add 4 full teaspoons (1 teaspoon=5 cc; 4 teaspoons=20 cc) of water to the same bowl.
3. Let the pill soak in the water for 5 minutes so it will be soft.
4. Use the back of a metal teaspoon to crush the pill in the water. Crush the pill until you can't see any pieces.
5. Stir the pill and water to mix it well. Find your child's weight on the left side of the chart below.
6. Next, look on the right side of the chart below to find the amount of doxycycline and water mixture to mix with food. The chart shows you the amount to give your child for 1 dose. *For a ½ teaspoon dose, fill the metal teaspoon half way. It is better to give a little more of the medicine than not enough.*



Child's Weight	Amount of Doxycycline and Water Mixture	Teaspoons
12 pounds or less	½ teaspoon	
13 to 25 pounds	1 teaspoon	
26 to 38 pounds	1½ teaspoons	
39 to 50 pounds	2 teaspoons	
51 to 63 pounds	2½ teaspoons	
64 to 75 pounds	3 teaspoons	
76 to 88 pounds	3½ teaspoons	
89 pounds or more and adults	Use the entire mixture	Entire Mixture

7. Add the recommended amount of the doxycycline and water mixture from the chart above to a second bowl. **NOTE:** for adults and children 89 pounds and more, use the entire mixture.
8. Add 3 teaspoons of milk **or** chocolate milk **or** chocolate pudding **or** apple juice to the second bowl to make it taste better. If you use apple juice, also add 4 teaspoons of sugar to the second bowl.
9. Stir well. Give all of the doxycycline, water, and food mixture in the second bowl. This is one dose.
10. Each child or adult should take 1 dose in the morning and 1 dose at night each day.
11. If you have enough leftover doxycycline and water mixture for another dose, keep it for the next dose. The doxycycline and water mixture can be stored in a covered bowl or cup at room temperature for up to 24 hours. Label and date the container. Keep the mixture in a safe place, out of the reach of children and pets.
12. Throw away any unused mixture after 24 hours and make a new doxycycline and water mixture before the next dose.



**CONTACTS:** If you have any questions, please contact XXXXX (placeholder for stakeholder's specific contact information).